

Modality Definition Synthesis for Epistemic Intuitionistic Logic via a Theorem Prover

Paul Tarau

Department of Computer Science and Engineering
University of North Texas
paul.tarau@unt.edu

Abstract. We derive a Prolog theorem prover for an Intuitionistic Epistemic Logic by starting from the sequent calculus **G4IP** that we extend with operator definitions providing an embedding in intuitionistic propositional logic (**IPC**). With help of a candidate definition formula generator, we discover epistemic operators for which axioms and theorems of Artemov and Prottopopescu’s *Intuitionistic Epistemic Logic (IEL)* hold and formulas expected to be non-theorems fail. We compare the embedding of **IEL** in **IPC** with a similarly discovered successful embedding of Dosen’s double negation modality, judged inadequate as an epistemic operator. Finally, we discuss the failure of the *necessitation rule* for an otherwise successful **S4** embedding and share our thoughts about the intuitions explaining these differences between epistemic and alethic modalities in the context of the Brouwer-Heyting-Kolmogorov semantics of intuitionistic reasoning and knowledge acquisition.

Keywords: epistemic intuitionistic logic, propositional intuitionistic logic, Prolog-based theorem provers, automatic synthesis of logic systems, definition formula generation algorithms, embedding of modal logics into intuitionistic logic.

1 Introduction

Epistemic Logic Systems have been derived often in parallel and sometime as afterthoughts of alethic Modal Logic Systems, in which modalities are defined by axioms and additional inference rules extending classical logic.

With the advent of Answer Set Programming (**ASP**) epistemic logics hosted in this framework like e.g., [1–3] show that *intermediate logics*¹ can express epistemic operators by extending the underlying logic with definition of epistemic operators.

Steps² further below classical logic or **ASP** are taken in recent work [4], based on the the Brouwer-Heyting-Kolmogorov (**BHK**) view of intuitionistic logic that takes into account the constructive nature of knowledge, modeling more accurately the connection between proof systems and the related mental processes.

¹ Logics stronger than intuitionistic but weaker than classical.

² Actually infinitely many, as there’s an infinite lattice of intermediate logics between classical and intuitionistic logic.

Along these lines, our inquiry into epistemic logic will focus on knowledge vs. truth seen as intuitionistic provability.

Like in the case of embedding epistemic operators into **ASP** systems, but with a “machine-learning” twist, we will design a synthesis mechanism for epistemic operators via embedding in **IPC**. For this purpose we will generate candidate formulas that verify axioms, theorems and rules and fail on expected non-theorems. We will also show that this view generalizes to a mechanism for discovering the right formalization of a given modal logic.

Our starting point is Artemov and Protopopescu’s *Intuitionistic Epistemic Logic (IEL)* [4] that will provide the axioms, theorems and non-theorems stating the requirements that must hold for the definitions extending **IPC**. The discovery mechanism will also bring up Dosen’s interpretation of double negation [5] as a potential epistemic operator and we will look into applying the same discovery mechanisms to find an embedding of modal logic **S4** in **IPC**, with special focus on the impact of the *necessitation rule*, which requires that all theorems of the logic are necessarily true.

The rest of the paper is organized as follows. Section 2 overviews Artemov and Protopopescu’s *Intuitionistic Epistemic Logic (IEL)*. Section 3 introduces the **G4IP** sequent calculus prover for Intuitionistic Propositional Logic (**IPC**). Section 4 describes the generator for candidate formulas extending **IPC** with modal operator definitions. Section 5 explains the discovering of the definitions that ensure the embedding of **IEL** into **IPC** and the discovering of the embedding of Dosen’s double negation as a modality operator. It also discusses the intuitions behind the embedding of **IEL**, including the epistemic equivalent of the necessity rule in **IPC** and the adequacy of this embedding as a constructive mechanism for reasoning about knowledge. Section 6 studies the case of the **S4** modal logic and the failure of the necessity rule, indicating the difficulty of embedding it in **IPC** by contrast to **IEL**. Section 7 overviews some related work and section 8 concludes the paper.

The paper is written as a literate SWI-Prolog program with its extracted code at <https://raw.githubusercontent.com/ptarau/TypesAndProofs/master/ieltpro.pro>.

2 Overview of Artemov and Protopopescu’s IEL logic

In [4] a system for Intuitionistic Epistemic Logic is introduced that

“maintains the original Brouwer-Heyting-Kolmogorov semantics for intuitionism and is consistent with the well-known approach that intuitionistic knowledge be regarded as the result of verification”.

Instead of the classic, alethic-modalities inspired **K** operator for which

$$\mathbf{K}A \rightarrow A$$

Artemov and Protopopescu argue that *co-reflection* expresses better the idea of *constructivity of truth*

$$A \rightarrow \mathbf{K}A$$

They also argue that this applies to both belief and knowledge i.e., that

“The verification-based approach allows that justifications more general than proof can be adequate for belief and knowledge”.

On the other hand, they consider *intuitionistic reflection* acceptable, expressing the fact that “known propositions cannot be false”:

$$\mathbf{K}A \rightarrow \neg\neg A$$

Thus, they position intuitionistic knowledge of A between A and $\neg\neg A$:

$$A \rightarrow \mathbf{K}A \rightarrow \neg\neg A$$

and given that (via Glivenko’s transformation [6]) applying double negation to a formula embeds classical propositional calculus into **IPC**, they express this view as:

$$\textit{Intuitionistic Truth} \Rightarrow \textit{Intuitionistic Knowledge} \Rightarrow \textit{Classical Truth}.$$

They axiomatize the system **IEL** as follows.

1. Axioms of propositional intuitionistic logic;
2. $\mathbf{K}(A \rightarrow B) \rightarrow (\mathbf{K}A \rightarrow \mathbf{K}B)$; (distribution)
3. $A \rightarrow \mathbf{K}A$. (co-reflection)
4. $\mathbf{K}A \rightarrow \neg\neg A$ (intuitionistic reflection)

Rule Modus Ponens.

They also argue that a weaker logic of belief (**IEL**[−]) is expressed by considering only axioms **1,2,3**.

3 The G4ip prover for IPC

We will describe next our lightweight propositional intuitionistic theorem prover, that will be used to discover an embedding of **IEL** into **IPC**.

3.1 The LJT/G4ip calculus, (restricted here to the implicational fragment)

Motivated by problems related to loop avoidance in implementing Gentzen’s **LJ** calculus, Roy Dyckhoff [7] introduces the following rules for the **G4ip** calculus³.

$$LJT_1 : \frac{}{A, \Gamma \vdash A}$$

$$LJT_2 : \frac{A, \Gamma \vdash B}{\Gamma \vdash A \rightarrow B}$$

$$LJT_3 : \frac{B, A, \Gamma \vdash G}{A \rightarrow B, A, \Gamma \vdash G}$$

³ Originally called the LJT calculus in [7]. Restricted here to its key implicational fragment.

$$LJT_4 : \frac{D \rightarrow B, \Gamma \vdash C \rightarrow D \quad B, \Gamma \vdash G}{(C \rightarrow D) \rightarrow B, \Gamma \vdash G}$$

Note that LJT_4 ensures termination as formulas in the sequent become smaller. The rules work with the context Γ being either a multiset or a set.

For supporting negation, one also needs to add LJT_5 that deals with the special term *false*. Then negation of A is defined as $A \rightarrow \text{false}$.

$$LJT_5 : \frac{}{\text{false}, \Gamma \vdash G}$$

Rules for conjunction, disjunction and bi-conditional (not shown here) are also part of the calculus.

As it is not unusual with logic formalisms, the same calculus had been discovered independently in the 50's by Vorob'ev and in the 80's-90's by Hudelmaier [8, 9].

3.2 A Lightweight Theorem Prover for Intuitionistic Propositional Logic

Starting from the sequent calculus for the intuitionistic propositional logic in G4ip [7], to which we have also added rules for the " \leftrightarrow " relation, we obtain the following lightweight IPC prover.

```

:- op(525, fy, ~ ).
:- op(550, xfy, & ). % right associative
:- op(575, xfy, v ). % right associative
:- op(600, xfx, <-> ). % non associative

prove_in_ipc(T):- prove_in_ipc(T, []).

prove_in_ipc(A, Vs):-memberchk(A, Vs), !.
prove_in_ipc(_, Vs):-memberchk(false, Vs), !.
prove_in_ipc(A<->B, Vs):-!, prove_in_ipc(B, [A|Vs]), prove_in_ipc(A, [B|Vs]).
prove_in_ipc((A->B), Vs):-!, prove_in_ipc(B, [A|Vs]).
prove_in_ipc(A & B, Vs):-!, prove_in_ipc(A, Vs), prove_in_ipc(B, Vs).
prove_in_ipc(G, Vs1):- % atomic or disj or false
  select(Red, Vs1, Vs2),
  prove_in_ipc_reduce(Red, G, Vs2, Vs3),
  !,
  prove_in_ipc(G, Vs3).
prove_in_ipc(A v B, Vs):- (prove_in_ipc(A, Vs); prove_in_ipc(B, Vs)), !.

prove_in_ipc_reduce((A->B), _, Vs1, Vs2):-!, prove_in_ipc_imp(A, B, Vs1, Vs2).
prove_in_ipc_reduce((A & B), _, Vs, [A, B|Vs]):-!.
prove_in_ipc_reduce((A<->B), _, Vs, [(A->B), (B->A)|Vs]):-!.
prove_in_ipc_reduce((A v B), G, Vs, [B|Vs]):-prove_in_ipc(G, [A|Vs]).

```

```

prove_in_ipc_imp((C->D),B,Vs,[B|Vs]):-!,prove_in_ipc((C->D),[(D->B)|Vs]).
prove_in_ipc_imp((C & D),B,Vs,[(C->(D->B))|Vs]):-!.
prove_in_ipc_imp((C v D),B,Vs,[(C->B),(D->B)|Vs]):-!.
prove_in_ipc_imp((C<->D),B,Vs,[((C->D)->((D->C)->B))|Vs]):-!.
prove_in_ipc_imp(A,B,Vs,[B|Vs]):-memberchk(A,Vs).

```

We validate it first by testing it on the implicational subset, derived via the Curry-Howard isomorphism [10], then against Roy Dyckhoff’s Prolog implementation⁴, working on formulas up to size 12. Finally we run it on human-made tests⁵, on which we get no errors, solving correctly 161 problems, with a 60 seconds timeout, compared with the 175 problems solved by Roy Dyckhoff’s more refined, heuristics-based 400 lines prover, with the same timeout⁶. We refer to [10] for the derivation steps of variants of this prover working on the implicational and nested Horn clause fragments of **IPC**. While more sophisticated tableau-based provers are available for **IPC** among which we mention the excellent Prolog-based fCube [11], our prover’s compact size and adequate performance will suffice, given also the space constraints imposed by literate programming nature of this paper.

4 The definition formula generator

We start with a candidate formula generator that we will constrain further to be used for generating candidate definitions of our modal operators.

4.1 Generating Operator Trees

We generate all formulas of a given size by decreasing the available size parameter at each step when nodes are added to a tree representation of a formula. Prolog’s **DCG** mechanism is used to collect the leaves of the tree.

```

genOperatorTree(N,Ops,Tree,Leaves):-
  genOperatorTree(Ops,Tree,N,0,Leaves,[]).

genOperatorTree(_,V,N,N)-->[V].
genOperatorTree(Ops,OpAB,SN1,N3)-->
  { SN1>0,N1 is SN1-1,
    member(Op,Ops),make_oper2(Op,A,B,OpAB)
  },
  genOperatorTree(Ops,A,N1,N2),
  genOperatorTree(Ops,B,N2,N3).

make_oper2(Op,A,B,OpAB):-functor(OpAB,Op,2),arg(1,OpAB,A),arg(2,OpAB,B).

```

⁴ https://github.com/ptarau/TypesAndProofs/blob/master/third_party/dyckhoff_orig.pro

⁵ at <http://iltp.de>

⁶ <https://github.com/ptarau/TypesAndProofs/blob/master/tester.pro>

4.2 Synthesizing the definitions of modal operators

As we design a generic definition discovery mechanism, we will denote generically our modal operators as follows.

- “#” for “ \square ”=necessary and “**K**”=known
- “*” for “ \diamond ”=possible and “**M**”=knowable

After the operator definitions

```
:- op( 500, fy, #).  
:- op( 500, fy, *).
```

we specify our generator as covering the usual binary operators and we constrain it to have at least one of the leaves of its generated trees to be a variable. Besides the `false` constant used in the definition of negation, we introduce also a new constant symbol “?” assumed not to occur in the language. Its role will be left unspecified until the possible synthesized definitions will be filtered. We will constrain candidate definitions to ensure that axioms and selected theorems hold and selected non-theorems fail.

```
genDef(M,Def) :- genDef(M, [(->), (&), (v)], [false, ?], Def).
```

```
genDef(M,Ops,Cs, (#(X):-T)) :-  
    between(0,M,N),  
    genOperatorTree(N,Ops,T,Vs),  
    pick_leaves(Vs, [X|Cs]),  
    term_variables(Vs, [X]).
```

Leaves of the generated trees will be picked from a given set.

```
pick_leaves([],_).  
pick_leaves([V|Vs],Ls) :- member(V,Ls), pick_leaves(Vs,Ls).
```

We first expand our operator definitions for the “~” negation and “*” modal operator while keeping atomic variables and the special constant `false` untouched.

```
expand_defs(_,false,R) :-!,R=false.  
expand_defs(_,A,R) :-atomic(A),!,R=A.  
expand_defs(D,~(A),(B->>false)) :-!,expand_defs(D,A,B).  
expand_defs(D,*(A),R) :-!,expand_defs(D,~ (# (~(A))),R).
```

The special case for expanding a candidate operator definition `D` requires a fresh variable for each instance, ensured by Prolog’s built-in `copy_term`.

```
expand_defs(D,#(X),R) :-!,copy_term(D, (#(X):-T)), expand_defs(D,T,R).
```

Other operators are traversed generically by using Prolog’s “=..” built-in and by recursing with `expand_def_list` on their arguments.

```
expand_defs(D,A,B) :-  
    A=.. [F|Xs],  
    expand_def_list(D,Xs,Ys),  
    B=.. [F|Ys].
```

```

expand_def_list(_, [], []).
expand_def_list(D, [X|Xs], [Y|Ys]) :-
    expand_defs(D, X, Y),
    expand_def_list(D, Xs, Ys).

```

The predicate `prove_with_def` refines our **G4ip** prover by first expanding the definitions extending **IPC** with a given candidate modality.

```

prove_with_def(Def, T0) :- expand_defs(Def, T0, T1), prove_in_ipc(T1, []).

```

The definition synthesizer will filter the candidate definitions provided by `genDef` such that the predicate `prove_with_def` succeeds on all theorems and fails on all non-theorems, provided as names of the facts of arity 1 containing them.

```

def_synth(M, D) :- def_synth(M, iel_th, iel_nth, D).

def_synth(M, Th, NTh, D) :-
    genDef(M, D),
    forall(call(Th, T), prove_with_def(D, T)),
    forall(call(NTh, NT), \+prove_with_def(D, NT)).

```

Note that the generator first builds smaller formulas and then larger ones up the specified maximum size.

Example 1 Candidate definitions up to size 2

```

?- forall(genDef(2, Def), println(Def)).
#A :- A
#A :- A -> A
#A :- A -> false
#A :- A -> ?
#A :- false -> A
#A :- ? -> A
#A :- A & A
#A :- A & false
#A :- A & ?
...
#A :- (A -> ?) -> A
...
#A :- (? v A) v ?
#A :- (? v false) v A
#A :- (? v ?) v A

```

5 Discovering the embedding of IEL and Dosen's double negation modality in IPC

We specify a given logic (e.g., **IEL** or **S4**) by stating theorems on which the prover extended with the synthetic definition should succeed and non-theorems on which it should fail.

5.1 The discovery mechanism for IEL

We start with the 4 axioms of Artemov and Protopopescu's **IEL** system:

```
iel_th(a -> # a).
iel_th(# (a->b)->(# a-> # b)).
iel_th(# p <-> # # p).
iel_th(# a -> ~ ~ a).
```

Note that the axioms would be enough to specify the logic, but we also add some theorems when intuitively relevant and/or mentioned in [4].

```
iel_th(# (a & b) <-> (# a & # b)).
iel_th(~ # false).
iel_th(~ (# a & ~ a)).
iel_th(~a -> ~ # a).
iel_th(~ ~ (# a -> a)).
iel_th(# a & # (a->b) -> # b).
iel_th(* (a & b) <-> (* a & * b)).
iel_th(# a -> * a).
iel_th(# a v # b -> # (a v b) ).
iel_th(* a <-> * * a).
iel_th(a -> *a).
```

Again, following [4], we add our non-theorems.

```
iel_nth(# a -> a).
iel_nth(# (a v b) -> # a v # b).
iel_nth(# a).
iel_nth(~ (# a)).
iel_nth(# false).
iel_nth(# a).
iel_nth(~ (# a)).
iel_nth(* false).
```

We also define (implicit) facts for supporting the *necessitation rule* that states that the operator “#” applied to proven theorems or axioms generates new theorems.

```
iel_nec_th(T):-iel_th(T).
iel_nec_th(# T):-iel_th(T).
```

Finally, we obtain the discovery algorithm for **IEL** formula definitions and for **IEL** extended with the necessitation rule.

```
iel_discover:-
  backtrack_over((def_synth(2,iel_th,iel_nth,D),println(D))).

iel_nec_discover:-
  backtrack_over((def_synth(2,iel_nec_th,iel_nth,D),println(D))).

backtrack_over(Goal):-call(Goal),fail;true.

println(T):-numbertvars(T,0,_),writeln(T).
```


We run `iel_discover`, ready to see the surviving definition candidates.

Example 2 *Definition discovery without the necessitation rule.*

```
?- iel_discover.  
#A:-(A->false)->A  
#A:-(A->false)->false  
#A:-(A-> ?)->A  
true.
```

Example 3 *Definition discovery with the necessitation rule.*

```
?- iel_nec_discover.  
#A:-(A->false)->A  
#A:-(A->false)->false  
#A:-(A-> ?)->A  
true.
```

Unsurprisingly, the results are the same, as a consequence of $A \rightarrow \#A$.

Clearly, the formula $\#A:-(A \rightarrow \text{false}) \rightarrow A$ is not interesting as it would define knowing something as a contradiction that implies itself.

This brings us to the second definition formula candidate.

5.2 Eliminating Dosen's double negation modality

In [2] double negation in IPC is interpreted as a “ \square ” modality. This corresponds to one of the synthetic definitions $\#A :- (A \rightarrow \text{false}) \rightarrow \text{false}$ that is equivalent in IPC to $\#A :- \sim\sim A$. It is argued in [4] that it does not make sense as an epistemic modality, mostly because it would entail that all classical theorems are known intuitionistically.

We eliminate it by requiring the collapsing of “ $*$ ” into “ $\#$ ” to be a non-theorem:

```
iel_nth(* a <-> # a).
```

In fact, while *known* ($\#$) implies *knowable* ($\sim\#\sim = *$), it is reasonable to think, as in most modal logics, that the inverse implication does not hold.

After that, we have:

Example 4 *The double negation modality is eliminated, as it collapses $\#$ and $*$.*

```
?- iel_discover.  
#A:-(A -> ?)->A  
true.
```

```
?- iel_nec_discover.  
#A:-(A -> ?)->A  
true.
```

5.3 Knowledge as awareness?

This leaves us with the $\#A :- (A \rightarrow ?) \rightarrow A$.

Among the consequences of the fact that intuitionistic provability strictly implies classical, is that there's plenty of room left between p and $\sim\sim p$, where both $\#$ and $*$ find their place, given that the following implication chain holds.

$$p \rightarrow \#p \rightarrow *p \rightarrow \sim\sim p$$

Let us now find an (arguably) intuitive meaning for the “?” constant in the definition. The interpretation of knowledge as awareness about truth goes back to [12]. Our final definition of intuitionistic epistemic modality as “ $\#A :- (A \rightarrow ?) \rightarrow A$ ” suggests interpreting “?” as awareness of an agent entailed by (a proof of) A . With this in mind, one obtains an embedding of **IEL** in **IPC** via the extension

$$\mathbf{KA} \equiv (A \rightarrow \mathbf{eureka}) \rightarrow A$$

where **eureka** is a new symbol not occurring in the language⁷.

In line with the Brouwer-Heyting-Kolmogorov (**BHK**) interpretation of intuitionistic proof, we may say that an agent *knows* A **iff** A is validated by a proof of A that induces awareness of the agent about it.

Thus knowledge of an agent, in this sense, collects facts that are proven constructively in a way that is “understood” by the agent. The consequence

$$\mathbf{KA} \rightarrow \neg\neg A$$

would then simply say that intuitionistic truths, that the agent is aware of, are also classically valid.

Thus, we can define our prover for **IEL** as follows.

```
iel_prove(P):-prove_with_def((#A :- (A -> eureka) -> A),P).
```

Interestingly, if one allows **eureka** to occur in the formulas of the language given as input to the prover, then it becomes (the unique) value for which we have equivalence between being known and having a proof.

```
?- iel_prove(#eureka <-> eureka).  
true .
```

Similarly, it would also follow that

```
?- iel_prove(*eureka <-> ~ ~ eureka).  
true.
```

Thus, one would need to forbid accepting it as part of the prover's language to closely follow the intended semantics of **IEL**.

⁷ Not totally accidentally named, given the way Archimedes expressed his sudden *awareness* about the volume of water displaced by his immersed body.

5.4 Discussion

As the **IPC** fragment with two variables, implication and negation has exactly **518** equivalence classes of formulas [13, 14], one would expect the construction deriving “*” from “#” to reach a fixpoint. We can use our prover to find out when that happens.

```
?- iel_prove(#p <-> ~ # (~p)).
false.
iel_prove(*p <-> ~(*(~p))).
true.
```

Thus the fixpoint of the construction is “*” that we have interpreted as meaning that a proposition is *knowable*. Therefore, the equivalence reads reasonably that something is knowable if and only if its negation is not knowable. Note also that

```
?- iel_prove(~(*(~p)) -> #p).
false.
```

by contrast to the equivalence $\Box p \equiv \neg \Diamond \neg p$ usual in classical modal logics.

6 Discovering an embedding of S4 without the necessitation rule

The fact that both **IPC** and **S4** are known to be PSPACE-complete [15] means that polynomial-time translations exist between them.

In fact, Gödel’s translation from **IPC** to **S4** (by prefixing each subformula with the \Box operator) shows that the embedding of **IPC** into **S4** can be achieved quite easily, by using purely syntactic means. However, the (very) few papers attempting the inverse translation [16, 17] rely on methods often involving intricate semantic constructions.

We will use our definition generator to identify the problem that precludes a simple embedding of **S4** into **IPC**.

We start with the axioms of **S4**.

```
s4_th(# a -> a).
s4_th(# (a->b) -> (# a -> # b)).
s4_th(# a -> # # a).
```

We add a few theorems.

```
s4_th(* * a <-> * a).
s4_th(a -> * a).
s4_th(# a -> * a).
s4_th(# a v # b -> # (a v b)).
s4_th(# (a v b) -> # a v # b).
```

We add some non-theorems that ensure additional filtering.

```
s4_nth(# a).
s4_nth(~ (# a)).
s4_nth(# false).
s4_nth(* false).
s4_nth(* a -> # * a). % true only in S5
s4_nth(a -> # a).
```

```
s4_nth(* a -> a).
s4_nth(# a <-> ?).
s4_nth(* a <-> ?).
```

Like in the case of **IEL** we define implicit facts stating that the necessitation rule holds.

```
s4_nec_th(T):-s4_th(T).
s4_nec_th(# T):-s4_th(T).
```

Finally we implement the definition discovery predicates and run them.

```
s4_discover:-
  backtrack_over((def_synth(2,s4_th,s4_nth,D),println(D))).

s4_nec_discover:-
  backtrack_over((def_synth(2,s4_nec_th,s4_nth,D),println(D))).
```

Example 5 *The necessitation rule eliminates all simple embeddings of **S4** into **IPC**, while a lot of definition formulas pass without it.*

```
?- s4_discover.
#A :- A & ?
#A :- ? & A
#A :- A & (A-> ?)
#A :- A & (? -> false)
...
true.

?- s4_nec_discover.
true.
```

Among the definitions succeeding without passing the necessity rule test, one might want to pick `#A :- ? & A` as an approximation of the **S4** “ \Box ” operator. In this case “?” would simply state that “the IPC prover is sound and complete”. Still, given the failure of the necessitation rule, the resulting logic is missing a key aspect of the intended meaning of **S4**-provability.

7 Related work

Program synthesis techniques have been around in logic programming with the advent of Inductive Logic Programming [18], but the idea of learning Prolog programs from positive and negative examples goes back to [19]. Our definition synthesizer fits in this paradigm, with focus on the use of a theorem prover of a decidable logic (**IPC**) filtering formulas provided by a definition generator through theorems as positive examples and non-theorems as negative examples. The idea to use the new constant “?” in our synthesizer is inspired by proofs that some fragments of **IPC** reduced to two variables have a (small) finite number of equivalence classes [13, 14] as well as by the introduction of new variables, in work on polynomial embeddings of **S4** into **IPC** [16, 17].

We refer to [4] for a thorough discussion of the merits of **IEL** compared to epistemic logics following closely classical modal logic, but the central idea about using

intuitionistic logic is that of *belief and knowledge as the product of verification*. Our embedding of **IEL** in **IPC** can be seen as a simplified view of this process through a generic “awareness of an agent” concept in line with [12].

In [1] the concept of *epistemic specifications* is introduced that support expressing knowledge and belief in an Answer Set Programming framework. Interestingly, refinements of this work like [20] and [3] discuss difficulties related to expressing an assumption like $p \rightarrow \mathbf{K}p$ in terms of **ASP-based** epistemic operators.

Equilibrium logic [21] gives a semantics to Answer Set programs by extending the 3-valued intermediate logic of here-and-there **HT** with Nelson’s constructive strong negation. In [22] a 5-valued truth-table semantics for equilibrium logic is given. In [23] (and several other papers) epistemic extensions of equilibrium logic [21] are proposed, in which $\mathbf{K}p \rightarrow p$. By contrast to “alethic inspired” epistemic logics postulating $\mathbf{K}p \rightarrow p$ we closely follow the $p \rightarrow \mathbf{K}p$ view on which [4] is centered.

While we have eliminated Dosen’s double negation modality [5] as an epistemic operator $\mathbf{K}p \equiv \neg\neg p$, it is significant that it came out as the only other meaningful candidate produced by our definition synthesizer.

This suggests that it might be worth investigating further how a similar definition discovery mechanism as the one we have used for **IEL** and **S4** would work for logics with multiple negation operators like equilibrium logic.

Besides the $\mathbf{K}p \rightarrow p$ vs. $p \rightarrow \mathbf{K}p$ problem a more general question is the choice of the logic supporting the epistemic operators, among logics with finite truth-value models (e.g., classical logic or equilibrium logic) or, at the limit, intuitionistic logic itself, with no such models. Arguably, this could be application dependent, as epistemic operators built on top of **IPC** are likely to fit better the landscape with intricate nuances of a richer set of epistemic and doxastic operators, while such operators built on top of finite-valued intermediate logics would benefit from simpler decision procedures and faster evaluation mechanisms.

8 Conclusions

We have devised a general mechanism for synthesizing definitions that extend a given logic system endowed with a theorem prover. The set of theorems on which the extended prover should succeed and the set of non-theorems on which it should fail can be seen as a declarative specification of the extended system. Success of the approach on embedding the **IEL** system in **IPC** and failure on trying to embed **S4** has revealed the individual role of the axioms, theorems and rules that specify a given logic system. Given its generality, our definition generation technique can be applied also to epistemic or modal logic axiom systems to find out if they have interesting embeddings in **ASP** and superintuitionistic logics for which high quality solvers or theorem provers exist.

Acknowledgement

This research has been supported by NSF grant 1423324. We thank the anonymous reviewers of the **EELP’2019** workshop for their careful reading, constructive suggestions and comments.

References

1. Gelfond, M.: Strong Introspection. In: Proceedings of the Ninth National Conference on Artificial Intelligence - Volume 1. AAAI'91, AAAI Press (1991) 386–391
2. Baral, C., Gelfond, G., Son, T.C., Pontelli, E.: Using answer set programming to model multi-agent scenarios involving agents' knowledge about other's knowledge. In: Proceedings of the 9th International Conference on Autonomous Agents and Multiagent Systems: Volume 1 - Volume 1. AAMAS '10, Richland, SC, International Foundation for Autonomous Agents and Multiagent Systems (2010) 259–266
3. Shen, Y.D., Eiter, T.: Evaluating epistemic negation in answer set programming. *Artif. Intell.* **237**(C) (August 2016) 115–135
4. Artemov, S.N., Protopopescu, T.: Intuitionistic Epistemic Logic. *Rew. Symb. Logic* **9**(2) (2016) 266–298
5. Dosen, K.: Intuitionistic double negation as a necessity operator. *Publications de l'Institut Mathématique, Nouvelle série* **35**(49) (1984) 15–20
6. Glivenko, V.: Sur la logique de M. Brouwer. *Bulletin de la Classe des Sciences* **14** (1928) 225–228
7. Dyckhoff, R.: Contraction-free sequent calculi for intuitionistic logic. *Journal of Symbolic Logic* **57**(3) (1992) 795807
8. Hudelmaier, J.: A PROLOG Program for Intuitionistic Logic. SNS-Bericht-. Universität Tübingen (1988)
9. Hudelmaier, J.: An $O(n \log n)$ -Space Decision Procedure for Intuitionistic Propositional Logic. *Journal of Logic and Computation* **3**(1) (1993) 63–75
10. Tarau, P.: A Combinatorial Testing Framework for Intuitionistic Propositional Theorem Provers. In Alferes, J.J., Johansson, M., eds.: *Practical Aspects of Declarative Languages - 21th International Symposium, PADL 2019, Lisbon, Portugal, January 14-15, 2019, Proceedings*. Volume 11372 of *Lecture Notes in Computer Science.*, Springer (2019) 115–132
11. Ferrari, M., Fiorentini, C., Fiorino, G.: fcube: An efficient prover for intuitionistic propositional logic. In Fermüller, C.G., Voronkov, A., eds.: *Logic for Programming, Artificial Intelligence, and Reasoning*, Berlin, Heidelberg, Springer Berlin Heidelberg (2010) 294–301
12. Fagin, R., Halpern, J.Y.: Belief, Awareness, and Limited Reasoning: Preliminary Report. In: *Proceedings of the 9th International Joint Conference on Artificial Intelligence - Volume 1. IJCAI'85, San Francisco, CA, USA, Morgan Kaufmann Publishers Inc.* (1985) 491–501
13. de Bruijn, N.G.: Exact finite models for minimal propositional calculus over a finite alphabet. Technical Report 75?WSK?02, Technological University Eindhoven (November 1975)
14. Jongh, D.D., Hendriks, L., de Lavalette, G.R.R.: Computations in fragments of intuitionistic propositional logic. *J. Autom. Reasoning* **7**(4) (1991) 537–561
15. Statman, R.: Intuitionistic Propositional Logic is Polynomial-Space Complete. *Theor. Comput. Sci.* **9** (1979) 67–72
16. Egly, U.: A Polynomial Translation of Propositional S4 into Propositional Intuitionistic Logic. (2007)
17. Goré, R., Thomson, J.: A Correct Polynomial Translation Of S4 Into Intuitionistic Logic. *The Journal of Symbolic Logic* **84**(2) (2019) 439–451
18. Muggleton, S.: Inductive logic programming. *New Gen. Comput.* **8**(4) (February 1991) 295–318
19. Shapiro, E.Y.: An algorithm that infers theories from facts. In: *Proceedings of the 7th International Joint Conference on Artificial Intelligence - Volume 1. IJCAI'81, San Francisco, CA, USA, Morgan Kaufmann Publishers Inc.* (1981) 446–451
20. Gelfond, M.: New semantics for epistemic specifications. In Delgrande, J.P., Faber, W., eds.: *Logic Programming and Nonmonotonic Reasoning - 11th International Conference,*

- LPNMR 2011, Vancouver, Canada, May 16-19, 2011. Proceedings. Volume 6645 of Lecture Notes in Computer Science., Springer (2011) 260–265
21. Pearce, D.: A new logical characterisation of stable models and answer sets. In: Selected Papers from the Non-Monotonic Extensions of Logic Programming. NMELP '96, Berlin, Heidelberg, Springer-Verlag (1997) 57–70
 22. Kracht, M.: On extensions of intermediate logics by strong negation. *Journal of Philosophical Logic* **27**(1) (Feb 1998) 49–73
 23. del Cerro, L.F., Herzig, A., Su, E.I.: Epistemic Equilibrium Logic. In Yang, Q., Wooldridge, M.J., eds.: *Proceedings of the Twenty-Fourth International Joint Conference on Artificial Intelligence, IJCAI 2015, Buenos Aires, Argentina, July 25-31, 2015*, AAAI Press (2015) 2964–2970